

Sexual Bullying

Addressing the Gap Between Bullying and Dating Violence

Nina M. Fredland, PhD, RN

Millions of youth in the United States are involved in some aspects of bullying behavior. Increasing rates of youth violence, including horrific violent school events, have brought national attention upon the phenomenon. Bullying is a broad construct that covers a wide variety of behaviors from name calling to physical abuse, and it is associated with serious negative health outcomes. Sexual bullying appears to be antecedent to more severe forms of relationship violence, and it is proposed as a conceptual link between bullying and more advanced forms of sexualized violence, such as teen dating violence and adult forms of intimate partner violence. **Key words:** *adolescent, bullying, dating violence, perpetration, sexual harassment, social behavior, victimization, violence*

BULLYING, a commonly recognized global phenomenon, has increasingly received national attention.¹ Understanding the phenomenon of bullying is important because it may provide the earliest opportunity for intervening in the lives of young adolescents. Frequently the emergence of bullying victimization or perpetration is the first sign of problematic behavior that, if left unchecked, can alter normal childhood development and establish maladaptive patterns of behavior. Recent studies have linked bullying behavior to physical as well as mental and behavioral health outcomes.²⁻⁴ The first nationally representative survey in the United States to focus on the phenomenon of bullying reported

that more than 5 million or 29% of US youth experience some form of bullying behavior.¹ Some youth experience more than 1 form of bullying, that is, they may be recipients of bullying (victims), perpetrate bullying behavior, or observe bullying encounters without being directly involved.

Existing research has addressed the occurrence of phenomena related to bullying behavior, sexual harassment, and dating violence separately. Relationships among these concepts have not been studied, and only a few research studies are reported in the nursing literature. The 1 exception is a review by Cavendish and Solomone that links bullying and sexual harassment.⁵

Seldom is the focus on the very young adolescent of middle school age. Age is a critical element in the explication of bullying and bridging the gap to sexualized violence. The purpose of this manuscript is to conceptualize sexual bullying (SB) as a form of bullying that relates to this age group and addresses the gap between bullying and dating violence. A secondary aim is to contribute to the nursing literature related to bullying and sexual harassment. Figure 1 depicts the relationships of SB and its intersection within the overlapping areas of bullying, sexual harassment, and dating violence.

Author Affiliation: *Austin School of Nursing, University of Texas.*

This work was supported by a NIH/NINR Ruth L. Kirschstein National Research Service Award #1F31NR008176 and was part of a larger study funded as a cooperative agreement between the Centers for Disease Control and Prevention and Johns Hopkins University, School of Nursing US4/CCU#3199009 (Dr Jacquelyn Campbell, principal investigator).

Corresponding Author: *Nina M. Fredland, PhD, RN, Austin School of Nursing, University of Texas, 1700 Red River, Austin, TX 78701 (nfredland@mail.nur.utexas.edu)*




Figure 1. Sexual bullying: Intersection of bullying, dating violence, and harassment.

HISTORICAL PERSPECTIVE

Early research on bullying behaviors summarized by Whitney and Smith was begun in the 1970s by Olweus in Norway.⁶ He is first credited with bringing the bullying phenomenon to the forefront of public attention, and his research has contributed greatly to understanding the phenomenon. He pioneered a bullying questionnaire, the "Olweus Bullying Survey," with huge samples between 25 000 and 50 000. Olweus concluded that at least 15% of Norwegian students ($N = 84\ 000$) were involved in some form of bullying behavior.⁷ Nine percent ($N = 52\ 000$) were victims and 7% ($N = 41\ 000$) perpetrated bullying regularly. Seventeen percent of the victim group ($N = 9000$) admitted bullying others. Similar studies were conducted in other European countries. Many of them used a modified Olweus questionnaire. Despite these early research efforts in Europe, bullying and peer sexual harassment had been overlooked in the US public school system until the first major study conducted by the American Association of University Women Foundation in 1993.^{5,8,9} Horrific violent events in schools and precedent set-

ting court cases (Davis vs Morgan, 1999) have caught public interest focusing attention on bullying behavior as 1 of the underlying issues in some of these events.¹⁰

Before the most recent catastrophic event on the college campus of Virginia Tech University, the most well-known instance of school violence occurred at Columbine High School in Littleton, Colorado, in 1999, where 11 students and 1 teacher were killed by 2 students.¹¹ Fortunately, such events are rare (0.068 per 100 000 between 1994 and 1999), although media coverage makes them seem like everyday occurrences.¹² However, it is of note that student perpetrators of homicide were more than twice as likely to have been bullied by other students (odds ratio 2.57, 95% confidence interval [CI], 1.12-5.92). As a result, bullying is no longer considered a normal part of childhood and has now become a major area of research in the United States.

Most of the research related to the phenomenon of bullying appears in interdisciplinary journals in the fields of psychology, sociology, and education. Although nurses care for children and adolescents in a variety of community settings, such as schools, school-based clinics, camps, and primary care, the nursing literature has a void in the area of bullying research. The majority of nursing articles focused on the marginally related concept of workplace sexual harassment and the topic of bullying behaviors experience by nursing students during their training in Ireland.¹³ In the last 10 years, few articles have addressed bullying in relation to adolescents. Articles featured in *Nursing Standard*, *Nursing Times*, *Nursing Management*, and *Canadian Nurse* were often 1-page blurbs, case-study reports, opinion pieces, or editorial in nature. Fewer than 30 articles were research-based or peer-reviewed when CINAHL, the nursing database, was searched. Of those, approximately half were studies conducted with samples outside the United States, that is, in Norway, Ireland, United Kingdom, Australia, New Zealand, Finland, and Sweden.

Vessey has proposed an instrument development of teasing and Teasing Scale and Teasing Scale model testing in American adolescents. Berman¹⁶ reports the subject of sexual harassment reviews have been literature on the

THEORETICAL

Ecological and systems are central to the phenomenon of bullying. It is referred to as a guided research based on Spitzer's Variant of Ecological systems processes and dynamics that predict outcomes.¹⁸ The environmental factors family, and peer relationships to coping mechanisms. One might reflect on how this has a public health impact on the medical model. Concepts of prevention are central to nursing theory.²⁰ The intent is to identify unmet needs in nursing and dating violence of prevention, practice.¹⁵ Nursing practice demand a broad perspective can build on existing theory to develop nursing theories nursing theories antibullying and as Leininger's Pender's Health




Figure 1. Sexual bullying: Intersection of bullying, dating violence, and harassment.

HISTORICAL PERSPECTIVE

Early research on bullying behaviors summarized by Whitney and Smith was begun in the 1970s by Olweus in Norway.⁶ He is first credited with bringing the bullying phenomenon to the forefront of public attention, and his research has contributed greatly to understanding the phenomenon. He pioneered a bullying questionnaire, the "Olweus Bullying Survey," with huge samples between 25 000 and 50 000. Olweus concluded that at least 15% of Norwegian students ($N = 84\ 000$) were involved in some form of bullying behavior.⁷ Nine percent ($N = 52\ 000$) were victims and 7% ($N = 41\ 000$) perpetrated bullying regularly. Seventeen percent of the victim group ($N = 9000$) admitted bullying others. Similar studies were conducted in other European countries. Many of them used a modified Olweus questionnaire. Despite these early research efforts in Europe, bullying and peer sexual harassment had been overlooked in the US public school system until the first major study conducted by the American Association of University Women Foundation in 1993.^{5,8,9} Horrific violent events in schools and precedent set-

ting court cases (Davis vs Morgan, 1999) have caught public interest focusing attention on bullying behavior as 1 of the underlying issues in some of these events.¹⁰

Before the most recent catastrophic event on the college campus of Virginia Tech University, the most well-known instance of school violence occurred at Columbine High School in Littleton, Colorado, in 1999, where 11 students and 1 teacher were killed by 2 students.¹¹ Fortunately, such events are rare (0.068 per 100 000 between 1994 and 1999), although media coverage makes them seem like everyday occurrences.¹² However, it is of note that student perpetrators of homicide were more than twice as likely to have been bullied by other students (odds ratio 2.57, 95% confidence interval [CI], 1.12-5.92). As a result, bullying is no longer considered a normal part of childhood and has now become a major area of research in the United States.

Most of the research related to the phenomenon of bullying appears in interdisciplinary journals in the fields of psychology, sociology, and education. Although nurses care for children and adolescents in a variety of community settings, such as schools, school-based clinics, camps, and primary care, the nursing literature has a void in the area of bullying research. The majority of nursing articles focused on the marginally related concept of workplace sexual harassment and the topic of bullying behaviors experience by nursing students during their training in Ireland.¹³ In the last 10 years, few articles have addressed bullying in relation to adolescents. Articles featured in *Nursing Standard*, *Nursing Times*, *Nursing Management*, and *Canadian Nurse* were often 1-page blurbs, case-study reports, opinion pieces, or editorial in nature. Fewer than 30 articles were research-based or peer-reviewed when CINAHL, the nursing database, was searched. Of those, approximately half were studies conducted with samples outside the United States, that is, in Norway, Ireland, United Kingdom, Australia, New Zealand, Finland, and Sweden.

Vessey has p...
of instrument d...
ment of teasing...
and Teasing Scal...
recent study use...
cept of teasing i...
model testing de...
American adoles...
Berman¹⁶ report...
the subject of se...
reviews have be...
literature on the

THEORETICAL

Ecological an...
are central to...
nomenon of bu...
is referred to a...
guided research...
based on Sp...
Variant of Ecob...
dynamically con...
logical systems...
processes and...
tics that predic...
outcomes.¹⁸ Th...
environmental f...
family, and peer...
to coping mech...
One might refle...
has a public he...
the medical mod...
concepts of per...
are central to m...
theory.²⁰ The in...
to identify unhe...
ing and dating v...
of prevention...
practice.¹⁵ Nurs...
demand a broad...
can build on es...
to develop nurs...
nursing theoretic...
antibullying an...
as Leininger's...
Pender's *Health*

Morgan, 1999) have been focusing attention on the underlying issues of a catastrophic event at Virginia Tech University, a well-known instance of violence at Columbine High School in Colorado, in 1999, where two students were killed by 2 other students. Such events are rare (between 1994 and 1999), but they make them seem more frequent.¹² However, it is not the perpetrators of homicide who are most likely to have been convicted (odds ratio 2.57, 95% CI, 1.12-5.92). As a result, the perpetrator is now considered a normal person and has now become a national issue in the United States. Research related to the phenomenon appears in interdisciplinary fields of psychology, sociology, and nursing. Although nurses study adolescents in a variety of settings such as schools, camps, and primary care, there is a void in the literature. The majority of research on the marginally placed sexual harassment and bullying behaviors of students during their last 10 years, few studies on bullying in relation to nursing are featured in *Nursing Research, Nursing Management, and Nurse* were often based on reports, opinion pieces, and literature. Fewer than 30 articles indexed or peer-reviewed in the nursing database, was approximately half were based on samples outside the United States in Norway, Ireland, Australia, New Zealand,

Vessey has pioneered work in the area of instrument development for the assessment of teasing/bullying victimization.¹⁴ A recent study used the Childhood Assessment and Teasing Scale to operationalize the concept of teasing in a cross-sectional predictive model testing design with a sample of African American adolescents.¹⁵ Qualitative work by Berman¹⁶ reported about women and girls on the subject of sexual harassment, and only 2 reviews have been published in the nursing literature on the phenomenon of bullying.^{5,17}

THEORETICAL FRAMEWORK

Ecological and developmental principles are central to understanding the phenomenon of bullying behaviors. The reader is referred to a conceptual model that has guided research conducted by the author, based on Spencer's Phenomenological Variant of Ecological Systems Theory.¹⁵ It dynamically combines the well-accepted ecological systems model with developmental processes and associated risk characteristics that predict either positive or negative outcomes.¹⁸ The derived model captures environmental factors, including community, family, and peer influences, and relates them to coping mechanisms, and health outcomes. One might reflect that an ecological model has a public health focus that evolved from the medical model,¹⁹ yet nurses agree that the concepts of person, environment, and health are central to nursing and constitute nursing theory.²⁰ The intent of the related research is to identify unhealthy behaviors such as bullying and dating violence, to institute measures of prevention, a major premise in nursing practice.¹⁵ Nurse researchers, whose studies demand a broad environmental perspective, can build on established borrowed theories to develop nursing theory. In addition, other nursing theories can be incorporated into antibullying and antiviolence research, such as Leininger's *Transcultural Nursing* and Pender's *Health Promotion*.²¹

DEFINITION OF BULLYING

The Dutch word *boele* is the etymological origin of the modern word, "bully."²² The original meaning of the words *boele* (Dutch) and *buble* (German), synonymous with lover, brother, sweetheart, was influenced by the word *bull* (ox) and evolved to mean one who frightens, terrorizes, or abuses the weak. By dictionary definition, *bullying* denotes a set of behaviors that imply aggression or anti-social behavior.²³ Many investigators use the definition of *bullying* put forth by Olweus. Bullying is "aggressive behavior or intentional harm doing" carried out "repeatedly and over time in an interpersonal relationship characterized by an imbalance of power."^{7(p1173)} Actions can be direct, including physical contact, name calling, mean looks, and obscene gestures or indirect bullying such as isolation tactics and rumors. Stein states that the definition of *bullying* has become so broad that almost anything can be called bullying behavior and warns against the dangers of trivializing serious deviancy by lumping all behaviors under this broad term.¹⁰ Nansel and associates' study in the *Journal of the American Medical Association*, considered to be a landmark study in the United States on the topic, defines *bullying* as a type of behavior intended to harm or disturb the victim.¹ The bullying behavior (physical, verbal, or psychological) is repetitive and an imbalance of power is evident with the more powerful person attacking the less powerful one.

CHARACTERISTICS OF BULLIES, VICTIMS, AND BULLY-VICTIMS

To be consistent with the social science literature worldwide, the categories of bully, victim, and bully-victim are used. However, it is important to think of these categories as reflective of the behavior exhibited rather than assigning a personal label to an individual. Thus, it is helpful to think of some adolescents as instigators of bullying behavior and others as the recipients of said behavior.

Instigators of bullying behavior (bullies/perpetrators)

Bullies have certain characteristics that distinguish their behavior from victims. Studies have found that bullying perpetrators are more often associated with deviance or negative behaviors such as smoking, drinking, and disliking school.^{1,24} Like victims they are sometimes excluded from activities, yet bullies do have friends.^{25,26} These friends of bullies were also likely to be aggressive (a protective factor for victimization) and female bullies were likely to have smaller, but more cohesive groups of friends.²⁶ Bullies tend to associate with other bullies and have significant health problems including depression and suicide ideation.^{27,28}

Recipients of bullying behaviors (victims)

Recipients or victims of bullying have been studied the longest, primarily to determine what characteristics made them vulnerable. Variables associated with being bullied include the following: poor mental health, hopelessness, loneliness, being ignored, not being included, decreased self-confidence, decreased self-image, trouble making friends, decreased number of friends, lower or higher economic situations, negative health appraisal, and moodiness.^{26,29,30} In contrast to the bully group, results are mixed as to whether or not victims have fewer friendships or less reciprocated friendships.^{26,31} Nansel et al.¹ found that the victim-only group had more difficulty making friends than either the bully-only or bully-victim group (odds ratio = 1.92, 95% CI, 1.42-2.49). Mouttapa et al.²⁶ found that victims, who had aggressive friends, reported less victimization (adjusted odds ratio = 0.83, $P < .01$) as compared with victims, who had victimized friends. Poor coping ability was a significant risk factor for being bullied for both genders (boys: odds ratio 1.14, 95% CI, 1.12-1.28, $P = .024$; and girls: odds ratio 1.33, 95% CI, 1.15-1.54, $P = .0001$) suggesting that lack of social skills is associated with aggressive behaviors

for bullying perpetrators, and lack of social skills in victims creates "opportunities" for victimization.²⁹

Bully-victims

Bully-victims, that is, adolescents who sometimes are bullies and at other times are victims, are an especially high-risk group and may be the most prone to negative health outcomes.^{32,33} Australian, 6th- to 10th-grade bully-victims were more likely to be male (relative risk ratio [RRR] = 2.1, 95% CI, 1.64-2.63), to report psychosomatic symptoms (RRR = 1.97, 95% CI, 1.37-2.81), to smoke (RRR = 1.81, 95% CI, 1.26-2.59), and to spend more than 3 evenings a week out with friends (RRR = 1.41, 95% CI, 1.11-1.80).³⁰ These bully-victims did not have a strong affiliation to school and spent less time engaging in after-school activities and interacting with friends on school grounds.³³ It was unclear from these studies whether they were bullies, who are retaliated against or whether they are victims first, who later imitate aggressive behavior or act aggressively as part of a traumatic response.

SCHOOL FACTORS

Bullying occurs most often on the playground and then in the classroom.³⁴ After that, hallways and routes to and from school were the most common places.³⁵ These locations are clear indications that bullying is occurring either under the watch of teachers or when supervision is slack. Fifty-four percent of the students reported that the teacher tried to stop the bullying behavior "some of the time."³⁶ Another study found that teachers were unlikely to stop the behavior, as they ignored it.³¹

Few studies have assessed the linkage between bullying involvement and violent behavior. Higher rates of fighting were found for bullies (odds ratio = 5.20, 95% CI, 4.16-6.49), victims (odds ratio = 2.39, 95% CI, 1.82-3.14), and bully-victims (odds ratio = 3.58, 95% CI, 2.46-5.21) in the national study

by Nansel et al.¹ In the same sample, bullying (and victimization) was consistently associated with weapon carrying, fighting, and being injured. These associations were stronger for bully-victims. In another study of 14-year-olds, treatment for injury was more common for victims of bullying, reported that 25% of the time in the past year they were especially if at least once. Although bullying was assessed, the study did not disrespect as a victim or as a perpetrator. If girls were bullied and resulting injury was reported, a previous altercation was reported. Crime Victims Survey found that victims were more likely to be injured than their nonbullied peers. This translates to 1.5% of victims resorting to bringing a weapon for protection. In a study of 3.2% of the respondents reported a weapon and 2.8% of the respondents said they were injured and 3.2% were hurt.

Peer support for victims and participant roles

Youth who are victims of bullying behavior have different roles as a victim of bullying. These roles are (a) participant roles that are active in the phenomenon. Several studies have found these roles as follows: (b) outsider or bystander who is aware of the situation but lurks in the background and does not intervene in any way to help the victim, and (c) the defender of the bully.^{6,41,42} The prevalence of these roles is 23% to 48% across studies. In action these roles are often associated with the continuance of bullying. Defender roles vary from assistant/reinforcer to defender. Twenty-seven per-

s, and lack of social "opportunities" for

, adolescents who and at other times are high-risk group and to negative health a, 6th- to 10th-grade likely to be male (rel- 2.1, 95% CI, 1.64- osomatic symptoms 37-2.81), to smoke 1.26-2.59), and to ngs a week out with % CI, 1.11-1.80).³⁰ not have a strong af- ent less time engag- ities and interacting ounds.³³ It was un- whether they were d against or whether o later imitate aggres- sively as part of a

often on the play- e classroom.³⁴ After to and from school places.³⁵ These loca- s that bullying is oc- e watch of teachers slack. Fifty-four per- rted that the teacher g behavior "some of ty found that teach- the behavior, as they

ssed the linkage be- ent and violent be- ighting were found 5.20, 95% CI, 4.16- o = 2.39, 95% CI, ctims (odds ratio = in the national study

by Nansel et al.¹ In a later report based on the same sample, bullying (both perpetration and victimization) was strongly and consistently associated with violent behaviors, such as weapon carrying, frequent physical fighting, and being injured in a fight.³⁷ Stronger associations were found for the bullies. One other study of 14-year-olds ($N = 190$) seeking treatment for injuries in an emergency department, reported that weapons were present 25% of the time in the precipitating incident, especially if at least 1 female was involved.³⁸ Although bullying behavior was not directly assessed, the study cited teasing and being disrespected as common reasons for the incident. If girls were involved, the incident and resulting injury was most often related to a previous altercation or fight. The National Crime Victims Survey reported that victims were more likely to carry weapons to school than their nonbullied peers (3.7% vs 1.4%).³⁹ This translates to 139 760 victimized students resorting to bringing a weapon to school for protection. In a study of sixth to eighth graders 3.2% of the respondents made threats with a weapon and 2.8% actually hurt someone with a weapon.⁴⁰ In the same study, 6.2% of the victims said they were threatened with a weapon and 3.2% were hurt with a weapon.

Peer support for bullying behavior and participant roles

Youth who are not directly involved in the bullying behavior, either as a bully or as a victim of bullying, may engage in other participant roles that perpetuate the bullying phenomenon. Several studies have described these roles as follows: (a) the neutral role of outsider or bystander, who stays out of the situation but lurks in the vicinity and does not intervene in any way, (b) the defender of the victim, and (c) the assistant or reinforcer to the bully.^{6,41,42} The bystander roles vary from 23% to 48% across these studies. By their inaction these onlookers actually encourage the continuance of bullying. Prevalence rates of defender roles vary from 17% to 54% and assistant/reinforcer roles from 6.2% to 19.5%. Twenty-seven percent of middle school stu-

dents compared with 47% of the high school students did nothing, because they did not think they should intervene, and 19% and 20% respectively did not feel it was their business to interfere.⁶ The trend toward apathy increased with grade level.

FAMILY FACTORS

In 1 study bullies were more likely not to have a father figure at home and more likely to have more disruptive family relations.⁴³ Conversely, victims were more likely to be more positively involved with family members. Family factors were also significantly associated with teenage violence including poor housing conditions, having a convicted parent by age 10, a separation from parents by age 10, and parental disharmony. Only a few studies explored the relationship between family influences and bullying behaviors,^{34,43,44} and only 1 study measured parental maltreatment finding that maltreated youth attending summer camps were more likely to bully their peers.⁴⁵

FORMS OF BULLYING AND GENDER DIFFERENCES

Most prevalent types of bullying included being physically hurt (kicked or hit), being called nasty names, being threatened, being excluded, having their belongings taken or violated, and being subjected to racial slurs.^{6,31,36,46} Two studies examined gender difference with respect to types of bullying.^{6,36} One study reported more indirect forms for girls, such as name calling particularly in upper grades.⁶ The other study reported more physical assault for boys, but equal amounts of name calling, in 52% to 58% of the sample.³⁶

There appears to be differences in the perspectives that boys and girls have regarding the acceptability of violent acts, maladaptive coping responses to violence, and related health outcomes. When assessing overall violent experiences girls reported sexual assault (15.3%) as the most common type

of violent act and boys experienced aggravated physical assault most often (18.4%).⁴⁷ Foshee confirmed these findings and also reported that girls suffered more injuries from physical violence and sustained more psychological abuse.⁴⁸ Girls reported more psychological bullying such as rumors and sexual comments, whereas boys experienced more physical bullying.^{1,6,42} Boys bullied more and were bullied more than girls in most studies. Both boys and girls were bullied by boys; however, it was more common for girls to be bullied by boys than by girls ($P < .001$). Also the number of girl victims seems to decline more quickly with age.⁴⁶ This may be due to the fact that by the upper grades, girls may find a niche more easily than boys and benefit from the friend protection factor and/or they become victims of intimate partner violence.⁴⁹

THE CONCEPT OF SEXUAL BULLYING

Bullying behaviors are most prevalent between sixth and eighth grades and then the incidence of bullying behaviors appears to decline. This does not necessarily mean that tendency toward bullying also decreases. Two possible explanations are that the victims stop reporting or the bullying changes form, imitating more adult behaviors, such as SB or dating violence.

Sexual bullying is proposed as a relatively new and related concept that bridges the gap between early adolescent bullying and dating violence that usually occurs later in adolescence, young adulthood, and adulthood. Sexual bullying terminology is more easily associated with the middle-school-age group than some terms currently used to describe behaviors of very young adolescents. Focus groups with middle-school-age youth revealed that even the word *dating* is not always applicable to these young adolescent.⁵⁰

Specifically, sexual harassment, sexualized violence, and dating violence are concepts that may not be the most appropriate words to describe the behaviors of very young adolescents. Those terms are more often associ-

ated with individuals in work settings and/or older individuals, who are already engaged in formal dating relationships. Although sexual harassment and peer sexual harassment are terms more often associated with deviancy in school settings, these labels may be easily dismissed, trivialized, or not accepted as problematic in the lives of young adolescents. Therefore, SB is a dimension of bullying behavior that may be more readily understood by young adolescents, male and female, and the adults who care for them.

To explicate the concept of SB, it is necessary to examine the existing literature for dating violence, sexual harassment, and bullying behaviors. These concepts are closely related and SB represents the intersection of all 3 of these concepts and also the overlap with sexual harassment as diagramed in Figure 1. The reader is referred to existing reviews in the literature related to these topics. Glass et al⁵¹ reviewed studies focused on the young adolescent and dating violence. Several reviews of sexual harassment exist in the literature. Fineran and Bennet⁸ identify peer sexual harassment as a sex discrimination issue. Sev'er⁵² reviews theories of sexual harassment, historical underpinnings, and future directions.

Labeling unwanted sexual behavior as sexual harassment for legal purposes is understandable.⁵³ Uniformity in definition is important to avoid methodological issues. However, societal norms frequently discount experiences of children and youth in general, including those experiences related to sexual behavior. Notions such as "boys will be boys," bullying is a "rite of passage," "no harm done," and "passing phase" contribute to the trivializing of this unwanted bullying behavior, which can range from often unrecognized sexual overtones to unmistakable, harmful sexual behavior. With this in mind SB is carefully suggested as a bridge term for young adolescent behavior of this kind. A following proposed definition of SB builds on the Olweus definition:

Sexual Bullying is a dyadic process in which 1 individual is the recipient of (repeated) unpleasant

teasing, taunting, harassment, or other behavior inflicted by another individual with intent and at least 1 power imbalance between the other. The instigator's behavior is "antisocial" in nature, yet not a "punishment or appreciation for a behavior" if an imbalance exists. The behavior is not reciprocal.

Although SB is a dimension of bullying behavior, it is not necessarily a form of relationship violence. It is here to describe the pattern that occurs when a young adolescent during school years are being bullied by another of the same sex (or the sex of the perpetrator is not important to distinguishing the concept of bullying) in a form of sexual harassment that is not necessarily intended to escalate to more serious behaviors such as severe physical assault, sexual abuse, and even dating violence. It is on a dyadic relationship and is not necessarily a generalization with a dominant group. The term is used to describe the mill peer aggression. It is central to the concept of bullying. It is important to distinguish it from SB. Furthermore, it is not necessarily bullying. It may conform to the Olweus definition earlier; that is, it may be repetitive, power imbalance, and violence, which over time may become harassment, may be intentional in nature and may have sexual overtones, sexualized violence. One could argue that the term relationship connotes sexual behavior. It is an assumption. In the context of SB, sexual behavior is a key element.

Examples of unwanted sexual behavior that are common to young adolescents include (a) sexual harassment and sexual jokes; (b) sexualized violence, such as name calling, sexualized graffiti, sexualized messages/graffiti written on lockers, name calling such

work settings and/or are already engaged in relationships. Although sexual harassment are associated with deviancy these labels may be eased, or not accepted as of young adolescents. Extension of bullying behavior readily understood male and female, and them.

concept of SB, it is necessary literature for dating harassment, and bullying concepts are closely related intersection of all 3 of the overlap with sexual named in Figure 1. The existing reviews in the literature. Glass et al⁵¹ reviewed the young adolescence. Several reviews of SB in the literature. Finally peer sexual harassment issue. Sevrer⁵² reviewed harassment, historical future directions.

sexual behavior as legal purposes is conformity in definition is methodological issues. is frequently discount and youth in general, forces related to sexual as "boys will be boys," age," "no harm done," contribute to the trivializing behavior, which unrecognized sexual le, harmful sexual behavior SB is carefully suggest for young adolescents. A following provides on the Olweus

teasing, taunting, harassing, or threatening behavior inflicted by another individual. The instigator of said behavior acts with a conscious malicious intent and at least 1 party has a sexual interest in the other. The instigator's behavior may appear "romantic" in nature, yet there is a lack of consideration or appreciation for the recipient, and a power imbalance exists. The social environment allows this behavior.

Although SB is a type of romantic encounter, that has the potential to develop into relationship violence at any age, it is used here to describe the unhealthy teasing pattern that occurs when youth in their middle-school years are beginning to notice the opposite sex (or the sex they are attracted to). It is important to distinguish SB from the broader concept of bullying. Sexual bullying is an early form of sexual harassment that has the potential to escalate to more severe forms of abuse such as severe physical violence, emotional abuse, and even date rape. Here the focus is on a dyadic relationship rather than identification with a dominating group or run-of-the-mill peer aggression. Gender and culture are central to the concept of SB. It is also important to distinguish healthy sexual play from SB. Furthermore, general harassment is not necessarily bullying in that it may not conform to the Olweus definition described earlier; that is, it may not have all 3 components: repetitiveness, malicious intent, and a power imbalance. In the same sense, dating violence, which overlaps with bullying and harassment, may be purely physical or emotional in nature and not include sexual overtones, sexualized violence, or forced sex. One could argue that the nature of the partnership connotes sexual interest; however, this is an assumption. In this conceptualization of SB, sexual behavior or interest is a key element.

Examples of unwanted sexual behavior that are common to middle-school-age youth include (a) sexual comments, leering looks, and sexual jokes; (b) being shown sexual doodles, pictures, or photographs; (c) sexual messages/graffiti written in school restrooms; (d) name calling such as slut, gay, or *lesbo*; (e)

being flashed or mooned; (f) being touched, grabbed, rubbed against, or pinched; (g) being trapped or cornered and subjected to sexual advances or the threat of such advances; (h) having your clothing altered in a sexual way; that is, pulled up or down revealing intimate areas or being given a "wedgy"; (i) being the subject of sexual rumors including telephone and Internet messaging; and (j) being forced to do something sexual such as kissing or oral sex.⁹

Of great concern is that the bullies abuse power and are aggressive in peer relationships and this may be extended to romantic relationships. Initial romantic relationships form in the context of peer groups. Negative characteristics that bullies bring to the relationship create undesirable conditions for healthy relationship formation. For example, in 1 study, bullies were found to have less positive and equitable views of friends especially boy/girlfriends.⁵⁴ They reported that young adolescents who have difficulty with peer relationships and also have a history of a bullying perpetration may be at risk for continued problems, when they begin to engage in romantic relationships. One can refer to adult sexual offender literature to know that very often sexually inappropriate behaviors are documented early in life retrospectively. Identifying inappropriate sexual behavior such as SB and intervening early may prevent deviant behavioral patterns from forming.

Bullies began dyadic dating 1 and 1½ years earlier than nonbullies and were involved in more advanced types of dating.⁵⁴ Bullies were less likely to report not ever having a girl/boyfriend (22%) than the comparison group (44%) ($P < .001$). Bullies tended to benefit from early dating by achieving status in their peer group. Dating was not necessarily a true desire related to early maturing. In addition, bullies were frequently introduced to advanced dating through the influence of older friends. Because bullies are known to be more antisocial, they are ill equipped to handle these new peer romantic relationships. Therefore, lack of social skills is likely

process in which 1 individual (repeated) unpleasant

school environment, developing clear rules and consequences, and increasing supervision and parental involvement in antibullying campaigns.^{1,30} In addition, promising programs include restorative justice programs and mentoring programs. These methods are more positive, constructive, and humane than harsh discipline and punitive methods, such as expulsion and suspension. Such tactics do not foster the formation of healthy relationships.

The magnitude of the prevalence rates reported in this article alone should be enough evidence for public policy to focus on bullying. However, further support can be gained from recent research efforts that focus on negative health outcomes as well as the trajectory of continued violence and stable victimization. Early intervention is warranted before recipients of bullying feel that regardless of their action, they are powerless to change the situation. If the bullying behavior is not halted, stable patterns of victimization may ensue. Such patterns may also become normalized as dating relationships emerge and these patterns may persist into adulthood.

CONTRIBUTIONS TO NURSING THEORY AND PRACTICE

This article advances nursing science in several important ways. Issues related to youth violence and adolescent health are not clearly understood. Much of the research has been done abroad in terms of bullying behaviors and intervention strategies. Furthering this scientific body of knowledge within the nursing paradigm is of paramount importance. Nurses are often the ones who are confided in, consulted with, and have the opportunity to introduce health education into the curriculum. The emphasis on school bullying and sexual-harassment policies in the school

settings have created an opportune time for nursing research and practice.

Nurses embrace a holistic approach in the prevention of youth violence that to date has been dominated by the disciplines of psychology and sociology. The fact that nurses are clinicians/practitioners and can intervene effectively in conjunction with routine assessments of adolescents creates this unique opportunity. Nursing research in this area will add to theoretical model testing and inform practice.

CONCLUSIONS

Sexual bullying, terminology more easily associated with young adolescents, is proposed as a conceptual term to more clearly identify the overlap between bullying, dating violence, and sexual harassment. Conceptualizing bullying behaviors to include SB as an antecedent of sexual harassment and dating violence will advance nursing science by encouraging investigators to examine the relationships between bullying behaviors and early forms of sexualized violence in the young adolescent. Testing these linkages and disseminating the findings can potentially facilitate attitude and environmental change, and in turn lead to the formation of healthier intimate relationships.

Identifying the complexities of bullying and SB to determine the most appropriate intervention strategies, and the critical timing to counter this extensive public health problem and prevent other forms of violence from developing should be a national priority. Nurses are well positioned in a variety of settings such as schools, ambulatory clinics, family practice sites, and camps to identify unhealthy situations related to this phenomenon and to intervene in a timely and appropriate fashion.

REFERENCES

1. Nansel TR, Overpeck M, Pilla RS, Ruan WJ, Simons-Morton B, Scheidt P. Bullying behaviors among US youth prevalence and association with psychosocial adjustment. *J Am Med Assoc.* 2001;285(16):2094-2100.
2. Due P, Holstein BE, Lynch J, et al; Health Behavior

- in School-Aged Children Bullying Working Group, 2005. Bullying symptoms among school-aged children: international comparative cross-sectional study in 28 countries. *Eur J Public Health*. 2005;15:128-132.
3. Wilkins-Shurmer A, O'Callaghan MJ, Najman J, Bor W, Williams G, Anderson M. Association of bullying with adolescent health-related quality of life. *J Paediatr Child Health*. 2003;39(6):436-441.
 4. Van der Wal MF, de Wit AM, Hirasing R. Psychosocial health among young victims and offenders of direct and indirect bullying. *Pediatrics*. 2003;111(6):1312-1317.
 5. Cavendish R, Salomone C. Bullying and sexual harassment in the school setting. *J Sch Nurs*. 2001;17(1):25-31.
 6. Whitney I, Smith PK. A survey of the nature and extent of bullying in junior/middle and secondary schools. *Educ Res*. 1993;35(1):3-25.
 7. Olweus D. Annotation: bullying at school: basic facts and effects of a school-based intervention program. *J Child Psychol Psychiatry*. 1994;35(7):1171-1190.
 8. Fineran S, Bennett L. Teenage peer sexual harassment: implications for social work practice in education. *Soc Work*. 1998;43(1):55-64.
 9. Lipson J, ed. *Hostile hallways: Bullying, Teasing, and Sexual Harassment in School*. Washington, DC: American Association of University Women Educational Foundation; 2001.
 10. Stein N. *Sexual Harassment in an Era of Zero Tolerance*. Boston, MA: Wellesley Centers for Women (WCW) Research Report; 2000.
 11. Harter S, Low SM, Whitesell NR. What have we learned from Columbine: the impact of the self-system on suicidal and violent ideation among adolescents. *J Sch Violence*. 2003;2(3):3-26.
 12. Anderson M, Kaufman J, Simon TR, et al. School-associated violent deaths in the United States, 1994-1999. *JAMA*. 2001;286(21):2695-2702.
 13. Begley CM, Glacken M. Irish nursing students' changing levels of assertiveness during their pre-registration programme. *Nurse Edu Today*. 2004;24(7):501-510.
 14. Horowitz JA, Vessey JA, Carlson KL, et al. Teasing and bullying experiences of middle school students. *J Am Psychiatr Nurses Assoc*. 2004;10(4):165-172.
 15. Fredland N, Campbell J, Han H. Negative health outcomes among young urban adolescents predicted by type of violence exposure: modeling direct and indirect pathways. *Nur Res*. 2008;57(3).
 16. Berman H, McKenna K, Arnold CI, Taylor G, MacQuarrie B. Sexual harassment: everyday violence in the lives of girls and women. *Adv Nurs Sci*. 2000;22(4):32-46.
 17. Karstadt L, Dip N, Woods S. The school bullying problem. *Nurs Stand*. 1999;14(11):32-35.
 18. Spencer MB. Old issues and new theorizing about African-American youth: a phenomenological variant of ecological systems theory. In: Taylor RL, ed. *African-American Youth: Their Social and Economic Status in the United States*. Westport, CT: Praeger; 1995:37-69.
 19. Phillips J. Nursing systems and nursing models. In: Nicoll LH, ed. *Perspectives on Nursing Theory*. Philadelphia: Lippincott Williams & Wilkins; 1997:446-451.
 20. Bush HA. Models for nursing. In: Nicoll LH, ed. *Perspectives on Nursing Theory*. Philadelphia: Lippincott Williams & Wilkins; 1997:471-478.
 21. Hinshaw AS. Nursing science: the challenge to develop knowledge. In: Nicoll LH, ed. *Perspectives on Nursing Theory*. Philadelphia: Lippincott Williams & Wilkins; 1997:334-347.
 22. Ciardi J. *A Browser's Dictionary*. New York: Harper & Row; 1980.
 23. Webster N. *Webster's New World Dictionary of the American Language (College edition)*. Cleveland, OH: The World Publishing Co; 1960.
 24. Kaltiala-Heino R, Rimpelä M, Rantanen P, Rimpelä A. Bullying at school—an indicator of adolescents at risk for mental disorders. *J Adolesc*. 2000;23:661-674.
 25. Espelage DL, Holt MK. Bullying and victimization during early adolescence: peer influences and psychosocial correlates. In: Geffner R, Loring M, Young C, eds. *Bullying Behavior: Current Issues, Research, and Interventions*. New York: The Haworth Press; 2001:123-142.
 26. Mouttapa M, Valente T, Gallaher P, Rohrbach LA, Unger JB. Social network predictors of bullying and victimization. *Adolescence*. 2004;39(154):315-335.
 27. Kaltiala-Heino R, Rimpelä M, Marttunen P, Rimpelä A, Rantanen P. Bullying, depression, and suicidal ideation in Finnish adolescents: school survey. *Br Med J*. 1999;319:348-351.
 28. Swearer SM, Song SY, Cary PT, Eagle JW, Mickelson WT. Psychosocial correlates in bullying and victimization: the relationship between depression, anxiety, and bully/victim status. In: Geffner R, Loring M, Young C, eds. *Bullying Behavior: Current Issues, Research, and Interventions*. New York: The Haworth Press, 2001:95-121.
 29. Gofin R, Palti H, Gordon L. Bullying in Jerusalem schools: victims and perpetrators. *Public Health*. 2002;116(3):173-178.
 30. Olweus D. Bullying at school: long-term outcomes for the victims and an effective school-based intervention program. In: Huesmann LR, ed. *Aggressive Behavior: Current Perspectives*. New York: Plenum Press; 1994:97-130.
 31. Boulton MJ, Underwood K. Bully/victim problems among middle school children. *Br J Educ Psychol*. 1992;62:73-87.
 32. Wolke D, Woods S, Bloomfield L, Karstadt L. Bullying involvement in primary school and common health problems. *Arch Dis Child*. 2001;85(3):197-201.
 33. Forero R, McLellan. Behavior and psychosocial outcomes of students in New South Wales. *Br Med J*. 1999;319:128-132.
 34. Fekkes M, Pijpers F. Bullying behavior and associated mental health complaints and depression. *Br Med J*. 2003;327(7423):1181-1186.
 35. Seals D, Young J. Bullying and its association with self-esteem, social competence, and academic achievement. *J Sch Psychol*. 2003;38(152):735-744.
 36. O'Moore AM, Kirkpatrick M. Bullying behavior in Irish schools: a national survey. *Br Med J*. 1997;18(2):141-169.
 37. Nansel TR, Overpeck S, Scheidt PC. Relationship between bullying and violence among US youth. *JAMA*. 2003;289(15):1963-1970.
 38. Mollen CJ, Fein JA. Characterization of involvement in bullying among young adolescents. *J Sch Psychol*. 2004;158:545-550.
 39. DeVoe JF, Kaffenber. *Bullying: Results From the National Longitudinal Study to the Nation's Schools (NCES 205-310)*. U.S. Department of Education, National Center for Education Statistics, Washington, DC: US Government Printing Office; 2002.
 40. Demaray MK, Malcom. Bullying and victimization among students classified as victims, bullies, or bully-victims in an urban middle school. *J Sch Psychol*. 2003;32(3):471-488.
 41. Salmivalli C. Participation in bullying: implications for research. *J Sch Psychol*. 1999;22:453-459.
 42. Jeffrey LR, Miller D, et al. Bullying: a context for the development of the victimization process. In: Geffner R, Loring M, Young C, eds. *Bullying Behavior: Current Issues, Research, and Interventions*. New York: The Haworth Press; 2001:123-142.
 43. Bowers L, Smith PK. Relationships of bullies, victims, and bully-victims in middle childhood. *J Sch Psychol*. 2003;32(3):471-488.
 44. Espelage D, Bosworth W. Bullying and victimization in middle-school students: a national demographic, risk factor, and outcome study. *J Sch Psychol*. 2004;158:545-550.

- ns theory. In: Taylor RL, ed. *tb: Their Social and Eco- nited States*. Westport, CT: 1997:471-478.
- tems and nursing models. *spectives on Nursing The- incott Williams & Wilkins;*
- rsing. In: Nicoll LH, ed. *Per- theory*. Philadelphia: Lippin- 1997:471-478.
- ience: the challenge to de- coll LH, ed. *Perspectives on* lphia: Lippincott Williams &
- tionary. New York: Harper
- World Dictionary of the* (college edition). Cleveland, g Co; 1960.
- ä M, Rantanen P, Rimpelä A. indicator of adolescents at s. *J Adolesc*. 2000;23:661-
- llying and victimization dur- er influences and psychoso- er R, Loring M, Young C, *Current Issues, Research,* York: The Haworth Press;
- Gallagher P, Rohrbach LA, predictors of bullying and ce. 2004;39(154):315-335.
- ä M, Marttunen P, Rimpelä depression, and suicidal escents: school survey. *Br*
- ty PT, Eagle JW, Mickelson tes in bullying and victim- between depression, anxi- s. In: Geffner R, Loring M, *Behavior: Current Issues, Re-* s. New York: The Haworth
- L. Bullying in Jerusalem perpetrators. *Public Health*.
- ool: long-term outcomes ffective school-based inter- smann LR, ed. *Aggressive ctives*. New York: Plenum
- K. Bully/victim problems dren. *Br J Educ Psychol*.
- field L, Karstadt L. Bullying school and common health 2001;85(3):197-201.
33. Forero R, McLellan L, Rissel C, Bauman A. Bullying behavior and psychosocial health among school students in New South Wales, Australia: cross sectional survey. *Br Med J*. 1999;319:344-348.
34. Fekkes M, Pijpers FIM, Verloove-Vanhorick SP. Bullying behavior and associations with psychosomatic complaints and depression. *J Pediatr*. 2005;144:17-22.
35. Seals D, Young J. Bullying and victimization: prevalence and relationship to gender, grade level, ethnicity, self-esteem, and depression. *Adolescence*. 2003;38(152):735-747.
36. O'Moore AM, Kirkham C, Smith M. Bullying behavior in Irish schools: a nationwide study. *Ir J Psychol*. 1997;18(2):141-169.
37. Nansel TR, Overpeck M, Haynie DL, Ruan WJ, Scheidt PC. Relationships between bullying and violence among US youth. *Arc Pediatr Adolesc Med*. 2003;157:348-353.
38. Mollen CJ, Fein JA, Localio AR, Durbin DR. Characterization of interpersonal violence events involving young adolescent girls vs events involving young adolescent boys. *Archiv Pediatr Adolesc Med*. 2004;158:545-550.
39. DeVoe JF, Kaffenberger S. *Student Reports of Bullying: Results From the 2001 School Crime Supplement to the National Crime Victimization Survey (NCES 205-310)*. US Department of Education, National Center for Education Statistics. Washington, DC: US Government Printing Office; 2005.
40. Demaray MK, Malaccan CK. Perceptions of frequency and importance of social support by students classified as victims, bullies, and bully/victims in an urban middle school. *School Psych Rev*. 2003;32(3):471-489.
41. Salmivalli C. Participant role approach to school bullying: implications for interventions. *J Adolesc*. 1999;22:453-459.
42. Jeffrey LR, Miller D, Linn M. Middle school bullying as a context for the development of passive observers to the victimization of others. In: Geffner R, Loring M, Young C, eds. *Bullying Behavior: Current Issues, Research, and Interventions*. New York: The Haworth Press; 2001:143-156.
43. Bowers L, Smith PK, Binney V. Perceived family relationships of bullies, victims, and bully/victims in middle childhood. *J Soc Pers Relat*. 1994;11:215-232.
44. Espelage D, Bosworth K, Simon T. Short-term stability and prospective correlates of bullying in middle-school students: an examination of potential demographic, psychosocial, and environmental influences. *Violence Vict*. 2001;16(4):411-426.
45. Shields A, Cicchetti D. Parental maltreatment and emotional dysregulation as risk factors for bullying and victimization in middle childhood. *J Abnorm Child Psychol*. 2001;30(3):349-363.
46. Borg MG. The extent and nature of bullying among primary and secondary school children. *Educ Res*. 1999;41(2):137-153.
47. Boney-McCoy S, Finkelhor D. Psychosocial sequelae of violent victimization in a national youth sample. *J Consult Clin Psychol*. 1995;61(5):726-736.
48. Foshee VA, Bauman K, Arriaga XA, Helms R, Koch GG, Linder GF The safe dates project. *Prev Res*. 2000;7(1):3-6.
49. Boulton MJ, Trueman M, Chau C, Whitehand C, Amatya K. Concurrent and longitudinal links between friendship and peer victimization: implications for befriending interventions. *J Adolesc*. 1999;22:461-466.
50. Fredland N, Ricardo I, Campbell JC, Sharps P, Kub J, Yonas M. The meaning of dating violence in the lives of middle school adolescents: results of a Qualitative Focus Group Study. *J Sch Violence*. 2005;4(2):95-114.
51. Glass N, Fredland N, Campbell J, Yonas M, Sharps P, Kub J. Adolescent dating violence: prevalence, risk factors, health outcomes, and implications for clinical practice. *J Obstet Gynecol Neonatal Nurs*. 2003;32:227-238.
52. Sev'er A. Sexual harassment: where we were, where we are and prospects for the new millennium introduction to the special issue. *Can Rev Sociol Antropol*. 1999;36(4):469-497.
53. Stein N. *Secrets in Public: Sexual Harassment in Public (and Private) Schools*. Wellesley, MA: Wellesley College, Center for Research on Women; 1993.
54. Connolly J, Pepler D, Craig W, Taradash A. Dating experience of bullies in early adolescence. *Child Maltreat*. 2000;5(4):299-310.
55. McMaster LE, Connolly J, Pepler D, Craig W. Peer to peer sexual harassment in early adolescence: a developmental perspective. *Dev Psychopathol*. 2002;14:91-105.
56. Stein N. Sexual harassment in school: the public performance of gendered violence. *Harv Educ Rev*. 1995;65(2):145-162.
57. Centers for Disease Control and Prevention. *National Center for Injury Prevention and Control. Understanding Sexual Violence Fact Sheet*. <http://www.cdc.gov/injury>. Accessed January 15, 2008.